

WE ARE READY TO BE YOUR LONG-TERM TRUSTED PARTNER

Whether you're a homeowner pursuing a cozy living space
an architect shaping iconic buildings
or enterprise seeking industrial protection solutions

Working together to paint a brighter, more durable, and more colorful future



Dot-painted Sand Velvet 点涂砂绒

Plate No. :
DTSR-20260131



Dot-painted Sand Velvet

DELICATE & GENTLE

触手可及的细腻·目光所及的温柔


点涂砂绒艺术涂料，以独特点涂工艺打造层次丰富的砂绒肌理，甄选环保原料，触感亲肤细腻，视觉呈现自然雅致的立体质感。自带漫反射柔光效果，规避刺目反光，还能修饰墙面细微瑕疵，融艺术美感与实用功能于一体，为空间营造质朴高级的独特气质。

This Dot-painted sand velvet art paint uses a unique dot-painting process to create a rich, layered sandblasted texture. Made with carefully selected environmentally friendly raw materials, it has a soft, skin-friendly feel and a naturally elegant, three-dimensional visual appeal. It also features a diffused, soft-light effect, avoiding glare and concealing minor wall imperfections. Blending artistic beauty with practical function, it creates a uniquely rustic yet sophisticated ambiance for any space.



原色

施工指南 CONSTRUCTION GUIDELINES




01
施工前确保墙面坚固、平整、洁净、干燥，无任何疏松物或油污；使用滚筒均匀涂刷一遍专用底漆，以有效封闭基层并增强附着力。
Before construction, ensure that the wall surface is firm, flat, clean, dry, and free of any loose material or oil stains; apply a coat of specialized primer evenly using a roller to effectively seal the substrate and enhance adhesion.



02
将同色中涂涂料充分搅拌后，用滚筒均匀滚涂于墙面，形成基础底色层。
After thoroughly mixing the intermediate paint of the same color, apply it evenly to the wall surface with a roller to form a base coat.



03
待第一遍中涂完全干透后，再次滚涂第二遍，以巩固底色确保色泽均匀。
After the first coat of intermediate coat is completely dry, apply a second coat with a roller to solidify the base color and ensure even color.



04
滚涂第一遍面漆后，立即使用毛线拍以点拍方式制作出第一层核心纹理肌理。
After rolling on the first coat of topcoat, immediately use a wool pater to create the first layer of core texture by patting.



05
待第一遍面漆干透后，重复操作，拍打第二层纹理以增强立体层次感。
After the first coat of paint has dried completely, repeat the process and pat the second layer of texture to enhance the three-dimensional effect.

产品特点 PRODUCT FEATURES



光泽柔亮



手感细滑



施工多样性



环保净味



可调浅色



气味清新



0级防霉



持久靓丽

纯净灰 ash



「静谧共生」—— 极简侘寂风

以低饱和深灰为基底，自带沉稳克制的质感，像深海与舰船甲板的静谧氛围。空间利落大气、高级耐看，搭配简约线条与金属细节，营造出冷静、秩序、轻奢的现代质感，适合偏爱低调高级、安静沉稳的居住氛围。

应用场景：客厅、主卧、书房。

"Quiet Symbiosis"—Minimalist Wabi-Sabi Style

Based on a low-saturation dark gray, it possesses a calm and restrained texture, reminiscent of the tranquil atmosphere of the deep sea and ship decks. The space is clean, spacious, and sophisticated, with timeless appeal. Combined with simple lines and metallic details, it creates a calm, orderly, and subtly luxurious modern feel, suitable for those who prefer an understated, high-end, quiet, and calm living environment.

Application Scenario: Living Room, master Bedroom, study.


ART PAINT COLORS



DSR-3001 轻纱-0.4ML/KG



DSR-3002 太空漫步-1ML/KG



DSR-3003 浅灰-1ML/KG



DSR-3004 纯净灰-2ML/KG



DSR-3005 海军黑-6ML/KG

蔷薇红 red

「落日栖居」—— 复古暖调风

温柔又不失张力的暖调红，像盛放的蔷薇花瓣，优雅不张扬。自带浪漫复古气质，可做背景墙、软装点缀，营造慵懒精致、温柔有氛围感的空间，甜而不腻，兼具优雅与烟火气，适合打造轻奢复古、温馨浪漫的家居格调。

应用场景：餐厅、儿童房（男孩）、玄关。




Sunset Residence – Retro Warm Tone


A warm red that is gentle yet powerful, like blooming rose petals, elegant and understated. It possesses a romantic retro charm and can be used as a feature wall or soft furnishing accent, creating a relaxed, refined, and atmospheric space. Sweet but not cloying, it combines elegance and warmth, suitable for creating a subtly luxurious retro, warm, and romantic home style.

Application Scenario: Dining room, children's room (boys'), and entryway.


ART PAINT COLORS




DSR-3006 香盈藕粉-0.4ML/KG




DSR-3007 复古橡粉-0.2ML/KG



DSR-3008 梵戴克棕-0.4ML/KG



DSR-3009 荒漠红-0.5ML/KG



DSR-3010 蔷薇-3ML/KG

因基材与施工环境的差异，色卡颜色与效果仅供参考，不作验收标准使用

Due to the differences between the substrate and the construction environment, the color and effect of the color card are for reference only, and are not used as acceptance standards.

菱花黄 yellow



「轻氧漫居」——法式奶油风

取自传统菱花纹样的暖黄，温润柔和、清雅不艳俗，自带东方雅致气韵。像暖阳透过窗棂洒入室内，搭配木色、水墨、棉麻材质，营造温润通透、宁静雅致的新中式氛围，柔和治愈，兼具传统韵味与现代舒适感。


应用场景：卧室、厨房、阳台。

"Light Oxygen Living"—French Cream Style


A warm yellow derived from traditional diamond patterns, gentle and soft, elegant and not gaudy, possessing an inherent oriental elegance. Like warm sunlight streaming through the windowpanes, paired with wood tones, ink wash painting elements, and cotton and linen materials, it creates a warm, transparent, tranquil, and elegant new Chinese style atmosphere—soft, healing, and combining traditional charm with modern comfort.

Application Scenario: Bedroom, kitchen, balcony.

ART PAINT COLORS



DSR-3011 菱花白-0.4ML/KG



DSR-3012 可可蛋奶-0.4ML/KG



DSR-3013 汝窑-1ML/KG



DSR-3014 杏子灰-2ML/KG



DSR-3015 布莱垦棕-6ML/KG

因基材与施工环境的差异，色卡颜色与效果仅供参考，不作验收标准使用
Due to the differences between the substrate and the construction environment, the color and effect of the color card are for reference only, and are not used as acceptance standards

蜂鸟蓝 blue



「森系雾蓝」—— 自然轻复古风

明亮清透的浅蓝，如同蜂鸟羽翼般轻盈鲜活，清新又灵动。自带通透呼吸感，提亮空间不压抑，搭配白色、浅木色，打造清爽治愈、活泼灵动的北欧 / 简约风，像清晨蓝天与海风，充满生机与松弛感。

应用场景：次卧、卫生间、工作室。

"Forest Mist Blue"—A Natural, Lightly Retro Style

Bright and clear light blue, as light and vibrant as hummingbird wings, is fresh and lively. It has an inherent sense of openness and breathability, brightening the space without feeling oppressive. Paired with white and light wood tones, it creates a refreshing, healing, and lively Nordic/minimalist style, like a clear blue sky and sea breeze in the morning, full of vitality and relaxation.

Application Scenario: Second bedroom, bathroom, studio.


ART PAINT COLORS



DSR-3016 寒江雪-0.4ML/KG




DSR-3017 远方-0.2ML/KG



DSR-3018 蜂鸟蓝-0.2ML/KG



DSR-3019 杜松子蓝-0.4ML/KG



DSR-3020 北欧风情-1ML/KG



奶酪绿 green

「隐林栖居」——现代自然风


柔和低饱和的淡绿，如同奶酪般温润软糯，清新治愈不刺眼。自带温柔松弛的奶油质感，柔和舒缓、护眼耐看，搭配奶白、浅杏色，打造慵懒舒适、清新自然的奶油系空间，温馨柔和，充满治愈生活气息。
应用场景：客厅背景墙、茶室、老人房。

"Hidden Forest Living"—Modern Natural Style
Soft, low-saturation pale green, as warm and smooth as cheese, is refreshing, healing, and not glaring. It has a gentle and relaxing creamy texture, soothing and easy on the eyes. Paired with milky white and light apricot, it creates a lazy, comfortable, fresh, and natural creamy space—warm, soft, and full of healing life.

Application Scenario: Living room background wall, tea room, and senior citizen's room.




DSR-3021 波音飞机-0.4ML/KG



DSR-3023 奶酪薄荷-0.5ML/KG



DSR-3024 伦敦雾-1ML/KG



DSR-3022 页岩绿-0.4ML/KG



DSR-3025 格林那达-3ML/KG

. 点涂砂绒 Dot-painted sand velvet

技术参数	Technical data		
材料性能	Material Properties	水性合成树脂丙烯酸乳液涂料	Water-based synthetic resin acrylic emulsion paint
干膜厚度	Thickness	0.2-0.3mm	0.2-0.3mm
理论覆盖率	Coating rate	3-4m²/kg	3-4m²/kg
干燥时间	Surface dry	<2h	<2h
触干	Touch dry	<4h	<4h
干燥时间(硬)	Hard dry	>24h	>24h
涂层	Coating layer	2次	2 times
使用寿命	Service life	>10年	>10 years
油漆颜色	Color selection	银白色(可调色)	Silver-white(adjustable color)
施工工具	Construction Tools	羊毛滚筒/毛线拍	Wool rollers/Yarn slap
储存	Storage conditions	<30°C 阴凉, 干燥	<30°C,cool,dry

国际认证 Certification

Intertek Clean Air Gold



Intertek Clean Air Gold 是由国际知名的检验、检测和认证机构Intertek(天祥集团)提出的一个室内空气质量认证项目,此认证旨在评估建筑材料、家具和其他室内产品对室内空气质量的影响,确保这些产品在使用过程中不会释放过量的有害化学物质,从而保护人体健康。

UL Greenguard Gold



GREENGUARD是国际公认的最权威的室内产品(建材、装饰材料、家具、地面材料、表面材料、油漆和涂料、清洁剂及儿童产品等多个类别)认证标准(针对产品在室内空气的化学挥发情况)。它已经获得包括LEED在内480多个可持续项目和规范的认可。该项目使用科学的测试方法,通过对75,000多种不同行业的产品进行化学物质排放检测研究,能够确认释放到空气中的12,000多种挥发性有机化合物,从而保证室内空气质量。此外,它的绿色资源数据库被超过200个国家的政府采购、公用机构、行业协会列为无害产品购买指南。

Indoor Air Comfort Gold



欧洲IAC (Indoor Air Comfort,室内空气舒适度)金级认证是目前欧洲VOC释放量的最高标准,由总部设立于比利时的第三方独立检测机构欧陆科技(Eurofin)认证。该认证针对室内舒适度以及挥发性的有机物TVOC、甲醛、乙醛以及致癌物等挥发性物质进行了限量测试,分别测试涂料3天以及28天的有害物质释放量。该认证整合了比利时、法国、德国等多国VOC法规要求,并获得LEED、WELL Building Standard等国际绿色建筑认证体系的认可。

French VOC Emissions Labeling A+



法国A+认证的全称为法国室内空气环境检测A+级认证,由法国室内空气环境监测机构(AFC)颁发,主要针对建筑材料、家具等室内用品,评估其释放的挥发性有机化合物(VOCs)及其他有害物质的量。该认证基于欧洲室内空气标准 (ISO-16000),通过连续28天的空气质量检测,综合评估产品对室内空气的影响。认证标准分为A+、A、B、C四级,其中A+为最高级别。

M1 Mission Classification of Building Materials



芬兰M1认证是国际公认的室内建筑材料环保标准之一,由芬兰建筑协会(Building Information Foundation, RTS)制定,专门针对建筑材料释放的挥发性有机化合物(VOC)进行严格检测。该认证的核心目标是保障室内空气质量,减少有害物质对人体的影响,尤其适用于地板、涂料、胶黏剂、家具等产品。随着全球环保意识的提升,M1认证已成为北欧乃至欧洲市场的重要准入标准,被许多国际绿色建筑项目(如LEED、BREEAM)列为加分项。

CN.

产品综述 /

点涂砂绒是一款创新艺术涂料,通过独特的点涂工艺,在墙面形成随性而富有层次的砂绒质感。产品精选环保原料,质感细腻柔和,触感亲肤舒适,视觉上呈现出自然雅致的立体肌理。其独特的漫反射特性带来柔和的光影效果,有效规避刺目反光,并能巧妙修饰墙面细微瑕疵,兼具艺术美感与实用功能,为空间注入质朴而高级的个性化气息。

产品特点 /

- 1.独特之感
- *表面呈现细腻砂绒肌理,触感柔和舒适
- *立体层次丰富,光影效果自然柔和
- *有效遮盖基面微小瑕疵,提升墙面整体感
- 2.环保安全
- *水性配方,无添加有害物质,通过环保认证
- *净味技术,施工无异味,确保空间健康
- *防潮防潮,适用于多种环境,安全耐用
- 3.耐用易洁
- *漆膜致密坚韧,具有良好的耐磨耐擦洗性
- *抗污易洁,日常污渍可用湿布轻松擦拭
- *附着力强,耐久性好,长久保持美观
- 4.施工技术
- *点涂砂绒可塑性高,能创造个性化肌理
- *效果取决于施工手法,赋予空间独特标签
- *手工感强,每面墙都是独一无二的艺术品

产品规格 /

5kg/桶, 10kg/桶, 20kg/桶

理论耗材 /

0.12-0.15kg/m²/遍

施工工具 /

羊毛滚筒、毛线拍等。

应用场景 /

适用于家居客厅、卧室、背景墙, 以及酒店、会所、展厅等商业空间, 为墙面带来独特的艺术质感与温馨氛围。

EN.

Product Introduction /

Dot-painted sand velvet is an innovative artistic coating that uses a unique dot-applied technique to create a free-flowing, layered sandblasted texture on walls. Made with carefully selected environmentally friendly raw materials, the product boasts a delicate and soft texture, a comfortable feel against the skin, and a visually elegant, three-dimensional surface. Its unique diffuse reflection properties create a soft light and shadow effect, effectively avoiding glare and subtly concealing minor wall imperfections. Combining artistic beauty with practical functionality, it infuses a space with a rustic yet sophisticated and personalized ambiance.

Feature /

A sense of uniqueness

The surface features a fine, sandy texture, offering a soft and comfortable feel.

It boasts rich three-dimensional layers, creating a natural and soft interplay of light and shadow.

It effectively conceals minor imperfections on the substrate, enhancing the overall aesthetics of the wall surface.

Environmental protection and safety

Water-based formula, free of harmful substances, environmentally certified.

Odor-free technology ensures no odor during application, guaranteeing a healthy environment.

Mold and moisture resistant, suitable for various environments, safe and durable.

Durable and Easy to Clean

The paint film is dense and tough, with excellent wear and scrub resistance.

It is stain-resistant and easy to clean; everyday stains can be easily wiped away with a damp cloth.

It has strong adhesion, good durability, and maintains its beautiful appearance for a long time.

Construction Art

Highly malleable, the textured finish of dot-painted sand velvet allows for the creation of personalized textures.

The effect depends on the application technique, giving the space a unique character.

Strong handcrafted feel; each wall is a unique work of art.

Specification /

5kg/barrel, 10kg/barrel, 20kg/barrel

Dosage /

0.12-0.15 kg/m²/time

Construction tool /

Wool rollers, yarn beaters, etc.

Application Scenario /

Suitable for home living rooms, bedrooms, feature walls, as well as commercial spaces such as hotels, clubs, and exhibition halls, bringing a unique artistic texture and warm atmosphere to the walls.