


WE ARE READY TO BE YOUR LONG-TERM TRUSTED PARTNER

Whether you're a homeowner pursuing a cozy living space
an architect shaping iconic buildings
or enterprise seeking industrial protection solutions

Working together to paint a brighter, more durable, and more colorful future



Skin-friendly lambskin 肤感小羊皮

Plate No. :
XYP-20251125



Skin-friendly lambskin




DELICATE & GENTLE

触手可及的细腻·目光所及的温柔


肤感小羊皮是蛋壳光泽的艺术涂料，以天然树脂等为原料，经特殊辊涂工艺制成。它能呈现小羊皮般柔软细腻的触感与微褶皱纹理，保留皮革柔韧和立体层次，且无绒毛触感。涂料光泽温润，光线照射下呈柔和漫反射，不刺目也不沉闷，装饰性与体验感兼具。

Skin-friendly lambskin is an art paint with an eggshell sheen, created using a special roller coating process using natural resins and other raw materials. It creates a soft, delicate touch and slightly wrinkled texture reminiscent of lambskin, while retaining the leather's flexibility and three-dimensional texture without the fuzzy feel. The paint has a warm sheen and softly diffuses light, creating a seamless and visually appealing aesthetic.




原色

施工指南 CONSTRUCTION GUIDELINES




01
针对批刮完腻子且打磨平整的新墙面,或旧墙经修补处理至平整状态的基层。
For new walls that have been puttyed and polished, or old walls that have been repaired to a smooth base.



02
用羊毛滚筒滚涂一遍渗透底漆,确保均匀覆盖无漏涂,静置等待底漆完全干透。
Use a wool roller to apply one coat of penetrating primer, ensuring even coverage without any gaps, and let it sit until the primer is completely dry.



03
肤感小羊皮面漆按0-10%比例兑水,充分搅拌至颜色均匀无沉淀,使用小羊皮专用滚筒进行第1遍滚涂,均匀滚涂墙面,边角需覆盖到
Add 0-10% water to the skin-friendly lambskin topcoat and stir thoroughly until the color is uniform and there is no precipitation. Use a special lambskin roller to apply the first coat evenly on the wall, covering the edges and corners.



04
待第一遍涂料干透后,再滚涂第二遍,通过两次涂刷保证漆膜饱满均匀。
After the first coat of paint is completely dry, roll on the second coat to ensure that the paint film is full and even.

产品特点 PRODUCT FEATURES



光泽柔亮



手感细滑



施工多样性



环保净味



可调浅色



气味清新



0级防霉



持久靓丽

深海灰 ash



「静谧共生」——极简侘寂风


以低饱和的深海灰为基底，营造克制、宁静的居住氛围，适合追求精神松弛感的空间。
应用场景：客厅、主卧、书房。

"Quiet Symbiosis"—Minimalist Wabi-Sabi Style

This low-saturation deep sea gray creates a restrained, tranquil living atmosphere, perfect for spaces seeking a sense of spiritual relaxation.

Application Scenario: Living Room, Master Bedroom, Study.


ART PAINT COLORS




XYP-2701 深海灰-0.1ML/KG




XYP-2703 炊烟-0.25ML/KG




XYP-2704 浅灰-0.25ML/KG



XYP-2702 海军黑-0.1ML/KG



XYP-2705 无烟煤蓝-0.25ML/KG




XYP-2706 碳黑-0.25ML/KG

荒漠红 red

「落日栖居」——复古暖调风

提取荒漠落日的柔和红调，弱化红色的尖锐感，打造兼具复古情怀与温度的空间。


应用场景：餐厅、儿童房（男孩）、玄关。




Sunset Residence – Retro Warm Tone
This space captures the soft red tones of a desert sunset, softening the harshness of red to create a retro yet warm space.
Application Scenario: Dining room, children's room (boys'), and entryway.




ART PAINT COLORS



XYP-2707 荒漠红-0.05ML/KG




XYP-2708 蔓越莓红-0.1ML/KG




XYP-2709 纯米-0.25ML/KG



XYP-2710 蚂蚁红-0.25ML/KG



XYP-2711 风暴红-0.25ML/KG



XYP-2712 铁红-0.25ML/KG

月光黄 yellow



「轻氧漫居」——法式奶油风

像月光般柔和的浅黄，自带朦胧滤镜，适配浪漫、轻盈的法式空间，告别传统黄色的厚重感。


应用场景：卧室、厨房、阳台。

"Light Oxygen Living"—French Cream Style


This light yellow, as soft as moonlight, creates a hazy effect, perfect for romantic, airy French spaces, eliminating the heavy feel of traditional yellow.

Application Scenario: bedroom, kitchen, balcony.


ART PAINT COLORS




XYP-2713 月光黄-0.1ML/KG




XYP-2715 印度黄-0.25ML/KG




XYP-2716 珍珠黄-0.25ML/KG



XYP-2714 洋葱白-0.1ML/KG



XYP-2717 桔黄-0.25ML/KG



XYP-2718 铁黄-0.25ML/KG


杜松子蓝 blue




「森系雾蓝」—— 自然轻复古风

借鉴杜松子果实的雾感蓝，自带自然肌理感，适合打造介于复古与现代之间的松弛空间。
应用场景：次卧、卫生间、工作室。

"Forest Mist Blue"—A Natural, Lightly Retro Style
This misty blue, inspired by juniper berries, offers a natural texture and is perfect for creating a relaxing space between retro and modern.
Application Scenario: Second bedroom, bathroom, studio.




XYP-2719 马海毛淡青灰-0.1ML/KG



XYP-2720 杜松子蓝-0.05ML/KG




XYP-2721 大理石蓝-0.15ML/KG



XYP-2722 香粉淡青-0.15ML/KG



XYP-2723 蜂鸟蓝-0.15ML/KG



XYP-2724 自然靛蓝-0.15ML/KG

页岩绿 green


页岩绿系列：「隐林栖居」——现代自然风

还原页岩表层的低饱和绿，自带「呼吸感」，适合打造都市中贴近自然的治愈空间。
应用场景：客厅背景墙、茶室、老人房。


"Hidden Forest Living"—Modern Natural Style
This design recreates the low-saturation green of the shale surface, creating a natural, breathable space ideal for creating a healing space close to nature in the city.
Application Scenario: living room background wall, tea room, and senior citizen's room.




ART PAINT COLORS




XYP-2725 页岩绿-0.1ML/KG




XYP-2726 欧洲栗绿-0.1ML/KG




XYP-2727 中国茶叶绿-0.25ML/KG



XYP-2728 古董绿-0.25ML/KG



XYP-2729 迪比费绿-0.25ML/KG




XYP-2730 南瓜绿黑-0.25ML/KG

. 肤感小羊皮 Skin-friendly lambskin

技术参数	Technical data		
材料性能	Material Properties	水性合成树脂丙烯酸乳液涂料	Water-based synthetic resin acrylic emulsion paint
干膜厚度	Thickness	0.2-0.3mm	0.2-0.3mm
理论覆盖率	Coating rate	3-4m ² /kg	3-4m ² /kg
干燥时间	Surface dry	<2h	<2h
触干	Touch dry	<4h	<4h
干燥时间(硬)	Hard dry	>24h	>24h
涂层	Coating layer	2次	2 times
使用寿命	Service life	>10年	>10 years
油漆颜色	Color selection	白色(可调色)	White (adjustable color)
施工工具	Construction Tools	小羊皮专用滚筒/预调色搅拌机/调色托盘/毛刷	Lambskin-specific roller/premixing mixer/mixing tray/brush
储存	Storage conditions	<30°C 阴凉, 干燥	<30°C,cool,dry

国际认证 Certification

Intertek Clean Air Gold 	UL Greenguard Gold 	Indoor Air Comfort Gold 	French VOC Emissions Labeling A+ 	M1 Mission Classification of Building Materials 
Intertek Clean Air Gold是由国际知名的检验、检测和认证机构Intertek(天祥集团)提出的一个室内空气质量认证项目,此认证旨在评估建筑材料、家具和其他室内产品对室内空气质量的影响,确保这些产品在使用过程中不会释放过量的有害化学物质,从而保护人体健康。	GREENGUARD是国际公认的最权威的室内产品(建材、装饰材料、家具、地面材料、表面材料、油漆和涂料、清洁剂及儿童产品等多个类别)认证标准(针对产品在室内空气的化学挥发情况)。它已经获得包括LEED在内480多个可持续项目和规范的认可。该项目使用科学的测试方法,通过对75,000多种不同行业的产品进行化学物质排放检测研究,能够确认释放到空气中的12,000多种挥发性有机化合物,从而保证室内空气质量。此外,它的绿色资源数据库被超过200个国家的政府采购、公用机构、行业协会列为无害产品购买指南。	欧洲IAC(Indoor Air Comfort, 室内空气舒适度)金级认证是目前欧洲VOC释放限量的最高标准。由总部设立于比利时的第三方独立检测机构欧陆科技(Eurofin)认证。该认证针对室内舒适度以及挥发性的有机物TVOC、甲醛、乙醛以及致癌物等挥发性物质进行了限量测试,分别测试涂料3天以及28天的有害物质释放量,该认证整合了比利时、法国、德国等多国VOC法规要求,并获得LEED、WELL、Building Standard等国际绿色建筑认证体系的认可。	法国A+认证的全称为法国室内空气质量环境检测A+级认证,由法国室内空气质量监测机构(AFC)颁发,主要针对建筑材料、家具等室内用品,评估其释放的挥发性有机化合物(VOCs)及其他有害物质的量。该认证基于欧洲室内空气质量标准 (ISO-16000),通过连续28天的空气质量检测,综合评估产品对室内空气的影响,认证标准分为A+、A、B、C四级,其中A+为最高级别。	芬兰M1认证是国际公认的室内建筑材料环保标准之一,由芬兰建筑协会(Building Information Foundation, RTS)制定,专门针对建筑材料释放的挥发性有机化合物(VOC)进行严格检测。该认证的核心目标是保障室内空气质量,减少有害物质对人体的影响,尤其适用于地板、涂料、胶黏剂、家具等产品。随着全球环保意识的提升,M1认证已成为北欧乃至欧洲市场的重要准入标准,被许多国际绿色建筑项目(如LEED、BREEAM)列为加分项。

CN.

产品综述 /

肤感小羊皮是一种具有独特质感和装饰效果的墙面装饰材料,属于蛋壳光泽的艺术涂料。它以天然树脂、植物基乳液、无机矿物粉等为原料,经特殊辊涂工艺制作,在墙面上呈现出如小羊皮般柔软、细腻的触感和独特的微褶皱纹理,既保留皮革的柔韧质感,又规避了绒毛触感,呈现出接近天然皮革的立体层次。该涂料具有温润的光泽,在光线照射下,能产生柔和的漫反射效果,既不刺目也不沉闷。

产品特点 /

- 1.健康环保
- *无污染认证:无添加甲醛、苯等有害物,符合法国A+、中国环境标志等认证标准。
- *净味抗菌技术:采用净味乳液和植物萃取原液,持续释放负氧离子,净化空气并抑制细菌滋生。
- 2.仿真质感
- *细腻皮革纹理:表面复刻肤感小羊皮特有的微凹凸肌理,纹理清晰、层次分明,视觉上呈现类似皮革的自然立体感。
- *独特光学效果:蛋壳光泽(介于哑光与亮光之间),光线漫射形成柔和光晕,避免刺眼反光,营造低调奢华氛围。
- 3.耐用易洁
- *抗污耐擦洗:漆膜致密光滑,污渍(如咖啡渍、中性笔迹)不易渗透附着,湿布擦拭即可清除。
- *耐磨防刮伤:高韧性漆膜抵抗日常磕碰,轻微划痕可修复。
- *防水防潮防霉:加防水配方,阻隔水分渗透,防霉等级达0级(最高级),适用于厨卫、地下室等潮湿区域。

产品规格 /

5kg/桶, 10kg/桶, 20kg/桶

理论耗材 /

6-8m²/kg/遍

施工工具 /

小羊皮专用滚筒, 托盘等

应用场景 /

适用于家居卧室营造温馨氛围、儿童房保障安全涂鸦、客厅提升轻奢格调;商业场所,如酒店、咖啡馆、精品店打造艺术化空间;公共设施,如医院候诊区缓解焦虑、学校教室兼顾环保耐用、展览馆强化艺术氛围。

EN.

Product Introduction /

Skin-friendly lambskin is a wall covering material with a unique texture and decorative effect, a type of artistic paint with an eggshell sheen. Made from natural resins, plant-based emulsions, and inorganic mineral powders, it is produced through a specialized roller coating process. The result is a soft, delicate touch reminiscent of lambskin, with a unique micro-wrinkled texture. While retaining the suppleness of leather, it avoids the fuzzy feel, creating a three-dimensional effect similar to natural leather. This paint has a warm luster and creates a soft, diffuse reflection when exposed to light, creating a non-glaring and non-dampening effect.

Feature /

- Healthy and environmentally friendly
- Pollution-free certification: No added formaldehyde, benzene and other harmful substances, in line with French A+, China Environmental Label and other certification standards.
- Odor-free and antibacterial technology: uses odor-free emulsion and plant extract to continuously release negative oxygen ions, purify the air and inhibit bacterial growth.
- Simulation texture
- Exquisite leather texture: The surface replicates the unique micro-convex texture of Skin-friendly lambskin, with clear texture and distinct layers, visually presenting a natural three-dimensional effect similar to leather.
- Unique optical effect: eggshell gloss (between matte and glossy), light diffusion forms a soft halo, avoids glare and creates an atmosphere of low-key luxury.
- Durable and easy to clean
- Anti-fouling and scrub-resistant: The paint film is dense and smooth, and stains (such as coffee stains and neutral pen marks) are not easy to penetrate and adhere, and can be removed by wiping with a damp cloth.
- Wear-resistant and scratch-resistant: High-toughness paint film can resist daily bumps and minor scratches can be repaired.
- Waterproof, moisture-proof and mildew-proof: The waterproof formula blocks moisture penetration and has a mildew-proof grade of 0 (the highest grade). It is suitable for humid areas such as kitchens, bathrooms, and basements.

Specification /

5kg/barrel, 10kg/barrel, 20kg/barrel

Dosage /

6-8m²/kg/time

Construction tool /

Lambskin rollers, trays, etc.

Appication Scenario /

It is suitable for creating a warm atmosphere in home bedrooms, ensuring safe graffiti in children's rooms, and enhancing the light luxury style in living rooms; commercial places such as hotels, cafes, and boutiques to create artistic spaces; public facilities such as hospital waiting areas to relieve anxiety, school classrooms to take into account environmental protection and durability, and exhibition halls to enhance the artistic atmosphere.